


PSORT  
C2B0003

©1984 Shallick & Associates

652-20



 **apple computer inc.**

© 1980 by APPLE COMPUTER INC.






© 1980 by APPLE COMPUTER INC.









PSORT  
C2B0003

©1981 Shattuck & Associates


652-20



apple computer inc.

© 1980 by APPLE COMPUTER INC.







... "SPECIAL DELIVERY SOFTWARE" including its documentation, is copyrighted by APPLE or, in some cases, by APPLE's software suppliers. You may not copy or otherwise reproduce the SPECIAL DELIVERY SOFTWARE™ or any part of it except as expressly permitted in this License. Any SPECIAL DELIVERY SOFTWARE™ product that is not copy protected may be copied for backup use only, provided that you reproduce all copyright notices and other proprietary legends on such copies.

3. **Restrictions on Use and Transfer.** The original and any back-up copies of SPECIAL DELIVERY SOFTWARE™ are intended for your personal use in connection with a single computer. You may not distribute copies of, or any part of SPECIAL DELIVERY SOFTWARE™ to others without the specific granting of a Software Distribution License from APPLE for that purpose.

4. **Limited Warranty on Media.** APPLE warrants the diskettes on which SPECIAL DELIVERY SOFTWARE™ is recorded to be free from defects in materials and faulty

OR IMPLIED, WITH RESPECT TO THE SPECIAL DELIVERY SOFTWARE™, ITS MERCHANTABILITY OR ITS FITNESS FOR ANY PURPOSE. SPECIAL DELIVERY SOFTWARE™ IS LICENSED SOLELY ON AN "AS IS" BASIS. THE ENTIRE RISK AS TO ITS QUALITY AND PERFORMANCE IS WITH YOU. SHOULD THE SPECIAL DELIVERY SOFTWARE™ PROVE DEFECTIVE, YOU (AND NOT APPLE, ITS SUPPLIER, DISTRIBUTOR, OR DEALER) ASSUME THE ENTIRE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION AND ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. IN NO EVENT WILL APPLE, ITS SUPPLIER, DISTRIBUTOR, OR DEALER BE LIABLE FOR DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT IN THE SOFTWARE, EVEN IF THEY HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF IMPLIED WARRANTIES OR LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

**SPECIAL DELIVERY SOFTWARE™**  
10260 Bandley Drive  
Cupertino, CA 95014



which are to be used to determine whether a record is to be included or excluded. Entering "no" will end the execution of SORTPARM and write the parameter file.

Prompt: I(nclude, or E(xclude?

Response: Enter the appropriate letter.

Prompt: Field number:

Response: This specifies which of the fields is to be assigned the following string value which will be used as the comparison value for either including or excluding the record. Enter zero to terminate the sequence. The distributed version of PSORT allows 25 selection values to be specified.

Prompt: Selection value:

Response: Enter a string which is to be used as the comparison value for the particular field.

### Console Input

Rather than execute the SORTPARM program to build the parameter file, the user may enter the parameters at the execution time of PSORT. The same questions as described previously are asked, except for the following:

No parameter file name is requested.

No request is made for the record length (for fixed length fields) or number of fields (for variable length fields).

### Collating Sequence

The collating sequence is the ASCII character set. Because only exit fields (or their content-equivalent "file of strings") are read, numbers are also read as characters. This does not cause any difficulty for sorting because, for example, "123" is less than "234", as expected. Because the blank (space) character is less than the digits, "12" is less than "112", also as expected. Hence, numbers should be right justified, blank or zero filled. Decimal numbers should have the decimal points aligned.

### Errors

Some error checking is performed by PSORT. If any of the parameter, sort input, or merge input files are not found, an appropriate error message is displayed, and the program terminates.

In the case of the merge input files, all of the files are checked to see if they exist. All that are missing are reported before the program terminates.

If, during sorting, the number of intermediate files exceeds the limit, the job is terminated. The program can be recompiled with a greater limit, or the input file converted to two (or more) files. These files can then be resorted and the resultant sorted files merged.

Any other errors (caused by perhaps invalidated input, or, for example, no disk space) will be detected by the Pascal system, and will result in the whole system being re-initialized.

### Capacity

The Apple II based system will be able to sort approximately 1500 records of 80 characters each, which is close to the storage capacity



## APPENDIX B

### NOTE FOR USERS OF APPLE PASCAL

The supplied disk is name "PSORT:" and contains the following files:

PSORT1.TEXT	- Source code for stand-alone program, Part 1.
PSORT2.TEXT	- " " " " " " 2.
PSORT3.TEXT	- " " " " " " 3.
PSORT4.TEXT	- " " " " " " 4.
SORTPARM.TEXT - Source code for parameter file building program.	
PSORTP1.TEXT	- Source for use as a procedure, Part 1.
PSORTP3.TEXT	- " " " " " " 3.
PSORTP4.TEXT	- " " " " " " 4.

(PSORT2.TEXT is identical with the omitted PSORTP2.TEXT).

PSORT.TEXT	- Include file calls for PSORT1..4.
PSORTP.TEXT	- " " " " " PSORTP1..4.

TESTPSORT.TEXT - Skeleton code showing use of PSORT as a procedure.

PSORT.CODE - Object code for stand-alone execution of PSORT.

SORTPARM.CODE - Object code for the parameter file building program.

Compilation of PSORT will require that the compiler is in swapping mode, i.e., by using "(\*\$S+\*)" at the start of the program (this is included in PSORT.TEXT and TESTPSORT.TEXT).

All responses to questions MUST be in upper case. Users with lower case facilities may wish to modify the code. Change code of the type "IF INCHAR IN ["N"] THEN ..." to "IF INCHAR IN ["N","n"] THEN ...".

The User Manual outlines a method of increasing the number of intermediate workfiles by simply moving some comment delimiters. The Apple source code does not include the text for the extra intermediate files. Thus, if the number of intermediate workfiles is to be increased, then the extra code would need to be typed in. This situation should not arise, however, because the maximum size of a file which can be sorted using the distributed values will exceed the disk space which is available.



## APPENDIX B

## NOTE FOR USERS OF APPLE PASCAL

The supplied disk is name "PSORT:" and contains the following files:

PSORT1.TEXT	-	Source code for stand-alone program, Part	1.
PSORT2.TEXT	-	" " " " " "	2.
PSORT3.TEXT	-	" " " " " "	3.
PSORT4.TEXT	-	" " " " " "	4.

SORTPARM.TEXT - Source code for parameter file building program.

```

PSORT1P1.TEXT - Source for use as a procedure, Part 1.
PSORT1P3.TEXT - " " " " " " " " 3.
PSORT1P4.TEXT - " " " " " " " " 4.

```

(PSORT2.TEXT is identical with the omitted PSORTP2.TEXT).

```
PSORT.TEXT      - Include file calls for PSORT1..4.
PSORTP.TEXT     -      "      "      "      " PSORTP1..4
```

TESTPSORT.TEXT - Skeleton code showing use of PSORT as a procedure.

```
PSORT.CODE      - Object code for stand-alone execution of PSORT.
```

SORTPARM.CODE - Object code for the parameter file building program.

Compilation of PSORT will require that the compiler is in swapping mode, i.e., by using "(\$S\*)" at the start of the program (this is included in PSORT.TEXT and TESTPSORT.TEXT).

All responses to questions MUST be in upper case. Users with lower case facilities may wish to modify the code. Change code of the type "IF INCHAR IN ["N"] THEN ..." to "IF INCHAR IN ["N","n"] THEN ...".

The User Manual outlines a method of increasing the number of intermediate workfiles by simply moving some comment delimiters. The Apple source code does not include the text for the extra intermediate files. Thus, if the number of intermediate workfiles is to be increased, then the extra code would need to be typed in. This situation should not arise, however, because the maximum size of a file which can be sorted using the distributed values will exceed the disk space which is available.



